




Solid Brass Door Hinges -
 ANSI Specification
 with a choice of
 16 different Finial designs

- Solid Brass Hinges manufactured to comply with ANSI standard preparations.
- 16 Finial designs, to co-ordinate with Allart Select and Precision Door hardware.
- 7441 is a lift off hinge design, with optional bush detail, and 7440 has the choice of a non-removable pin for outward opening doors (where enhanced security is required).
- 2 sizes - 4" and 4½".
- Available in over 30 finishes, and supplied with finish matched flat head slotted wood screws.



Frank Allart & Company Limited

Head Office & UK Factory: 15/35 Great Tindal Street, Birmingham B16 8DR UK


UK Sales Office: Tel: +44 (0)121 410 6000, sales@frankallart.co.uk • USA Sales Office: Tel: 888 582 9110, sales@frankallart.com

www.frankallart.com

Solid Brass Door Hinges - ANSI Specification

Solid Brass ANSI specification Door Hinges available in two sizes, with a choice of Finial designs. 7441 is a lift off hinge design, with optional bush detail, and 7440 has the choice of a non-removable pin for outward opening doors (where enhanced security is required).



Supplied with finish matched flat head slotted wood screws.



▲ 7440



Non-removable pin



For installation dimensions see website.

Hinges manufactured to comply with ANSI Standard preparations.





RH shown

▲ 7441



Bush detailing



For installation dimensions see website.

Hinges manufactured to comply with ANSI Standard preparations.

Fixings

Door Hinges supplied with finish matched no.12 x 1 1/4" flat head slotted wood screws.

For installation dimensions see website.

How to Order

- 1) select HINGE (e.g. 7441)
- 2) add FINISH (e.g. 7441PBU)
- 3) add SIZE (e.g. 7441PBU/B)
- 4) 7441 only - add LH Left Hand or RH Right Hand (e.g. 7441PBU/B/LH), and optional 'Bush' detail (e.g. 7441PBU/B/LH/BUSH)
- 5) add FINIAL (e.g. 7441PBU/B/LH/HF01).

7440 only - If non-removable pin required add NRP to code (e.g. 7440PBU/B/HF01/NRP).

Finishes - See our price list or website for finish availability.



▲ HF01 Button



▲ HF02 Stepped Bun



▲ HF03 Bun



▲ HF04 Reeded Bun



▲ HF05 Beaded Bun



▲ HF06 Ball



▲ HF07 Reeded Ball




▲ HF08 Oval

Solid Brass Door Hinges - ANSI Specification


Solid Brass ANSI specification Door Hinges available in two sizes, with a choice of Finial designs. 7441 is a lift off hinge design, with optional bush detail, and 7440 has the choice of a non-removable pin for outward opening doors (where enhanced security is required).

Supplied with finish matched flat head slotted wood screws.



For installation dimensions see website.

Hinges manufactured to comply with ANSI Standard preparations.



For installation dimensions see website.

Hinges manufactured to comply with ANSI Standard preparations.

Fixings

Door Hinges supplied with finish matched no.12 x 1 1/4" flat head slotted wood screws.

For installation dimensions see website.

How to Order

- 1) select HINGE (e.g. **7441**)
- 2) add FINISH (e.g. 7441**PBU**)
- 3) add SIZE (e.g. 7441**PBU/B**)
- 4) **7441 only** - add LH Left Hand or RH Right Hand (e.g. 7441**PBU/B/LH**), and optional 'Bush' detail (e.g. 7441**PBU/B/LH/BUSH**)
- 5) add FINIAL (e.g. 7441**PBU/B/LH/HF09**).

7440 only - If non-removable pin required add NRP to code (e.g. 7440**PBU/B/HF09/NRP**).

Finishes - See our price list or website for finish availability.



Passage Latch

A Passage Latch available with two latch spring strengths - 'light' for unsprung regular Knob Sets & sprung Lever Sets, and 'heavy' for unsprung Lever Sets & unsprung heavy Knob Sets, featuring a traditional handed Strike Plate supplied with a matt black Dust Box.

Strike & Face Plates along with cut head screws are supplied fully finish matched.



▲ 7520/7521 Latch & Strike Set

Light spring two-way action for unsprung regular Knob Sets & sprung Lever Sets.

7524/7525 Latch & Strike Set

Heavy spring single action for unsprung Lever Sets & unsprung heavy Knob Sets.

Fixings

Lock Case supplied with no.6 x 25mm zinc plated steel wood screws. Lock Case Face Plate supplied with M4 x 6mm finish matched machine screws. Strike Plate supplied with finish matched no.6 x 38mm wood screws.

Fixing packs available to be ordered separately - use code 01/026 (add finish)

How to Order

Latch & Strike Set:

- 1) select LATCH SET (e.g. **7520**)
- 2) add FINISH (e.g. **7520PC**)

Strike Plate only:


7521STRIKE - for 7521 & 7525

7520STRIKE - for 7520 & 7524


- 1) select STRIKE (e.g. **7520STRIKE**)
- 2) add FINISH (e.g. **7520STRIKE/PC**)

Finishes - See our price list or website for finish availability.


NB. Latch supplied in satin brass & dust box supplied matt black.



UK Specification	HANDING	CODE	ACTION
	LEFT	7520	light spring double action
	RIGHT	7521	light spring double action
	LEFT	7524	heavy spring single action
	RIGHT	7525	heavy spring single action



USA Specification	HANDING	CODE	ACTION
	RIGHT	7520	light spring double action
	LEFT	7521	light spring double action
	RIGHT	7524	heavy spring single action
	LEFT	7525	heavy spring single action



Privacy Lock

A Privacy Lock available with two latch spring strengths - 'light' for unsprung regular Knob Sets & sprung Lever Sets, and 'heavy' for unsprung Lever Sets & unsprung heavy Knob Sets, featuring a traditional handed Strike Plate supplied with a matt black Dust Box. Strike & Face Plates along with cut head screws are supplied fully finish matched.

A universal hub caters for either square or diamond orientated Turn spindles.



Fixings

Lock Case supplied with no.6 x 25mm zinc plated steel wood screws. Lock Case Face Plate supplied with M4 x 6mm finish matched machine screws. Strike Plate supplied with finish matched no.6 x 38mm wood screws. Fixing packs available to be ordered separately - use code 01/026 (add finish)

How to Order

Lock & Strike Set:

- 1) select LOCK SET (e.g. **7530**)
- 2) add FINISH (e.g. 7530**PC**)

Strike Plate only:

7531STRIKE - for 7531 & 7535

7530STRIKE - for 7530 & 7534

- 1) select STRIKE (e.g. **7530STRIKE**)
- 2) add FINISH (e.g. **7530STRIKE/PC**)

Finishes - See our price list or website for finish availability.

NB. Latch and Dead Bolt supplied in satin brass & dust box supplied matt black.




▲ 7530/7531 Lock & Strike Set

Light spring two-way action for unsprung regular Knob Sets & sprung Lever Sets.



7534/7535 Lock & Strike Set

Heavy spring single action for unsprung Lever Sets & unsprung heavy Knob Sets.



UK Spec	HANDING	CODE	ACTION
	LEFT	7530	light spring double action
	RIGHT	7531	
	LEFT	7534	heavy spring single action
	RIGHT	7535	

USA Spec	HANDING	CODE	ACTION
	RIGHT	7530	light spring double action
	LEFT	7531	
	RIGHT	7534	heavy spring single action
	LEFT	7535	



3 Lever Bit Key Lock

A 3 lever Bit Key Lock available with two latch spring strengths - 'light' for unsprung regular Knob Sets & sprung Lever Sets, and 'heavy' for unsprung Lever Sets & unsprung heavy Knob Sets, featuring a traditional handed Strike Plate supplied with a matt black Dust Box.

Strike & Face Plates along with cut head screws are supplied fully finish matched.



2 nickel plated keys supplied

7541 shown

▲ 7540/7541 Lock & Strike Set

Light spring two-way action for unsprung regular Knob Sets & sprung Lever Sets.

7544/7545 Lock & Strike Set

Heavy spring single action for unsprung Lever Sets & unsprung heavy Knob Sets.

Fixings

Lock Case supplied with no.6 x 25mm zinc plated steel wood screws. Lock Case Face Plate supplied with M4 x 6mm finish matched machine screws. Strike Plate supplied with finish matched no.6 x 38mm wood screws.

Fixing packs available to be ordered separately - use code 01/026 (add finish)

Differs

100 standard differs with up to 500 available to special order.

How to Order

Lock & Strike Set:

- 1) select LOCK SET (e.g. **7540**)
- 2) add FINISH (e.g. **7540PC**)

Strike Plate only:


7541STRIKE - for 7541 & 7545

7540STRIKE - for 7540 & 7544


- 1) select STRIKE (e.g. **7540STRIKE**)
- 2) add FINISH (e.g. **7540STRIKE/PC**)

Finishes - See our price list or website for finish availability.


NB. Latch and Dead Bolt supplied in satin brass & dust box supplied matt black.



UK Specification	HANDING	CODE	ACTION
	LEFT	7540	light spring double action
	RIGHT	7541	light spring double action
	LEFT	7544	heavy spring single action
	RIGHT	7545	heavy spring single action



USA Specification	HANDING	CODE	ACTION
	RIGHT	7540	light spring double action
	LEFT	7541	light spring double action
	RIGHT	7544	heavy spring single action
	LEFT	7545	heavy spring single action



Sliding Door Lock

A Sliding Door Lock with Hook & Anti Lift Bar featuring a traditional Strike Plate supplied with a matt black Dust Box.

Strike & Face Plates along with cut head screws are supplied fully finish matched.

A universal hub caters for either square or diamond orientated Turn spindles.



▲ 7560

Fixings

Lock Case supplied with no.6 x 25mm zinc plated steel wood screws. Lock Case Face Plate supplied with M4 x 6mm finish matched machine screws. Strike Plate supplied with finish matched no.6 x 38mm wood screws.


Fixing packs available to be ordered separately - use code 01/026 (add finish)

How to Order

1) add FINISH (e.g. 7560PC)

Finishes - See our price list or website for finish availability.

NB. Hook & Anti-lift Bar supplied in satin brass & dust box supplied matt black.




Sliding Door Lock - with optional cylinder locking function

A multi-functional Sliding Door Lock with integrated, retractable, Pull Loop.

This Lock can be set up for either Cylinder & Turn, Turn & Release, or Turn only operation.

A particular feature is the finish matched Pull, Face Plate, Release Button, Strike Plate, and screws.



7565




Fixings

Lock Case supplied with no.6 x 25mm zinc plated steel wood screws. Lock Case Face Plate supplied with finish matched machine screws. Strike Plate supplied with finish matched no.6 x 38mm wood screws.

How to Order

1) add FINISH (e.g. 7565**PC**)

Finishes - See our price list or website for finish availability.



Light touch
Pull retraction
or automatic
retraction when
Pull contacts
door frame.

(*) the lock case takes any 1.15" mortise cylinder 32UNS-2B (not supplied)

Passage Latches & Privacy Deadbolts

A Tubular Passage Latch available with two latch spring strengths - 'light' for use with unsprung regular Knob Sets and sprung Lever Sets, and 'heavy' for use with unsprung Lever Sets & unsprung heavy Knob Sets, along with complementary Privacy Deadbolts; all available in five lengths/backsets, featuring traditional Strike Plates supplied with matt black dust boxes.

Strike & Face Plates along with cut head screws are supplied fully finish matched.




▲ **7500** (light springing - for use with unsprung regular Knob Sets & sprung Lever Sets)
 ▲ **7512** (heavy springing - for use with unsprung Lever Sets & unsprung heavy Knob Sets)



▲ **7555/7556**



▲ **7555** 5mm universal hub



▲ **7556** 8mm square hub

Fixings


Supplied with finish matched no.6 x 25mm wood screws.

How to Order

- 1) select PRODUCT (e.g. **7512**)
- 2) add FINISH (e.g. **7512PC**)
- 3) add SIZE (e.g. **7512PC/C**).

Finishes - See our price list or website for finish availability.

NB. Latch supplied in satin brass & dust box supplied matt black.



	A	B	C	D	E
BS (backset)	60	70	75	100	130
M (depth of mortice)	80	93	100	127	152

Rack Bolts

A solid brass Mortice Rack Bolt available in three lengths/backsets and offered in five configurations:

Bolt & Strike Plate only;
with Escutcheon Plate;
with Key & Escutcheon Plate;
with Oval Knob Turn; or
with Oval Knob Turn & Coin Release.



▲ **0515**



▲ **0516** (excluding Key)
0517 (including Key)



▲ **0525**



▲ **0526**

Fixings

Rack Bolts supplied with finish matched no.4 x 19mm wood screws.

Turns and Releases supplied with finish matched no.4 x 13mm wood screws.

How to Order

- 1) select BOLT (e.g. **0525**)
- 2) add FINISH (e.g. 0525**PC**)
- 3) add SIZE (e.g. 0525**PC/B**).

Finishes - See our price list or website for finish availability.



Rack Bolts supplied with 0525 & 0526 are not available in all finishes (see below).

0517KEY supplied nickel plated only.

0525 & 0526 Rack Bolt Sets	
Finish ordered	Rack Bolt finish supplied
PGA/RG	IB
PG/PGU	PB
SG/SGU	SB
RGN	SN




▲ to order separately use code 0517KEY



	A	B	C
BS (backset)	32	45	57
M (depth of mortice)	62	75	87

A 25mm backset version is available see page WF2:190



max door thickness
(longer spindles available upon request)

Turn & Releases available without Rack Bolts - see page DF6:010

Dead-Fixing Roller Latch

A novel Dead-Fixing Roller Latch incorporating a heavy duty, site adjustable, Roller Latch with a Dead-Fixing Slot suitable for both solid and pre-bored doors, featuring a traditional Strike Plate supplied with a matt black Dust Box.

Strike & Face Plates along with cut head screws are supplied fully finish matched.

This Latch is also suitable for installing into the top rail of a double door set for use in conjunction with fixed dead/dummy knobs & levers.



▲ 7804



solid door
installation



▲ installed

▲ 8mm spindle inserted



pre-bored door
installation



▲ installed

▲ 8mm spindle inserted

Fixings


Supplied with finish matched no.6 x 25mm wood screws.

How to Order

Add FINISH (c.g. 7804PC).

Finishes - See our price list or website for finish availability.

NB. Roller supplied in satin brass finish only & dust box supplied matt black.



Fix-Dead Dummy Insert

A Fix-Dead Dummy Insert ideal for installation into either a solid or pre-bored door where no latching is required.

Face Plate along with cut head screws are supplied fully finish matched.



▲ 7802



solid door
installation



▲ installed

▲ spindle inserted



pre-bored door
installation



▲ installed

▲ spindle inserted

Fixings


Supplied with finish matched no.6 x 25mm wood screws.

How to Order

1) Add FINISH (e.g. 7802PC)

Finishes - See our price list or website for finish availability.

NB. Dummy Insert supplied in mill finish brass.



Door Holders


The 2108 Door Holder Loop Plate is generally fitted towards the top of a door, with the Hook Plate fitted to the wall.

The design of the Hook is such that the mechanism is self latching with manual release.

The 2117 Door Stop/Holder incorporates a spring loaded plunger to automatically hold the door open. Supplied with two finish matched door edge protection plates.



▲ 2108



Fixings

2108 supplied with finish matched no.8 x 25mm wood screws.

2117 supplied with finish matched no.6 x 25mm wood screws.



How to Order

- 1) select PRODUCT (e.g. **2108**)
- 2) add FINISH (e.g. **2108SC**).

Finishes - See our price list or website for finish availability.



▲ 2117




Door Stops - Wall Mounted

Four designs of Wall/Skirting Mounted Door Stops, three of which are available in two lengths; with custom lengths available upon request on the 2119 & 2120.

The 2119 & 2120 have removable Rubber Stops for fixing screw access. The 2125 pillar unscrews to expose fixing screw position.



▲ 2119




	A	B
P (projection)	61	74

other lengths available upon request



▲ 2120




	A	B
P (projection)	64	77

other lengths available upon request



▲ 2125



Fixings

2119 & 2120 supplied with no.12 x 38mm wood screws.

2125 supplied with 5mm x 30mm wood screw.

2126 supplied with finish matched no.6 x 19mm wood screws.

How to Order

1) select STOP (e.g. **2126**)


2) add FINISH (e.g. 2126**PC**)

2119, 2120 & 2126 only - add SIZE (e.g. 2126**PC/A**).

Finishes - See our price list or website for finish availability.



▲ 2126



	A	B
P (projection)	86	113


Door Stops - Wall Mounted

Three designs of Wall/Skirting Mounted Door Stops with the 2118 available in three lengths.

The 2111 is designed to be wall mounted at handle height to protect the wall surface from damage in a situation where a skirting stop cannot be used (e.g. hospital corridor).



▲ 2111



Fixings

2111 supplied with finish matched no.4 x 13mm wood screws.


2115 supplied with finish matched no.6 x 19mm wood screws.

2118 supplied with finish matched no.6 x 19mm wood screws.


How to Order

- 1) select STOP (e.g. **2118**)
- 2) add FINISH (e.g. 2118**PB**)
- 2118 only - add SIZE (e.g. 2118PB/**B**).


Finishes - See our price list or website for finish availability.



▲ 2115








▲ 2118



2118	A	B	C
P (projection)	51	63	76

Door Stops - Floor Fixed

A selection of six Floor Fixed Door Stops, featuring a regular sized Oval Shielded Door Stop (2112), along with two taller versions (2114 & 2122) to cater for thick pile carpets and stepped thresholds. The 2123 'Periscope' Door Stop is a stylish choice which transforms the humble door stop into a design statement.



Fixings

2112, 2114 & 2123 supplied with finish matched no.8 x 25mm wood screws and anti-rotation pins.

2122 supplied with finish matched no.8 x 38mm wood screws.


2089 supplied with no.6 x 19mm wood screws and a black centre bolt to secure the rubber stop.

2130 supplied with no.12 x 38mm wood screw

How to Order

- 1) select STOP (e.g. **2112**)
- 2) add FINISH (e.g. 2112**PB**).


Finishes - See our price list or website for finish availability.




Coat Hooks

An Art Deco design of Hat & Coat Hook (9554) along with a complementary Robe Hook (9552).


The 2651 Multiple Coat Hook is ideal for use in restaurants, cocktail bars and pubs.



▲ 9554



▲ 9552



Fixings

9552 & 9554 supplied with finish matched no.6 x 19mm wood screws.

2651 supplied with finish matched no.8 x 25mm wood screws.


How to Order

- 1) select HOOK (e.g. **9552**)
- 2) add FINISH (e.g. 9552**PC**).

Finishes - See our price list or website for finish availability.



▲ 2651




Coat Hooks

Two designs of Hat & Coat Hook - oval & square backed, along with two Robe Hooks.

The oval backed Hat & Coat Hook (1279) is available in two sizes.




▲ 1279



	A	B
P (projection)	55	75
H (height)	115	135



▲ 1286



Fixings

Supplied with finish matched no.6 x 19mm wood screws.


How to Order

- 1) select HOOK (e.g. **1279**)
 - 2) add FINISH (e.g. 1279**PB**)
- 1279 only - add SIZE (e.g. 1279PB/**A**).


Finishes - See our price list or website for finish availability.



▲ 1301




▲ 1319



Handrail Brackets & Cabin Hooks

A traditional design Handrail Bracket available in two sizes, along with two designs of Cabin Hook each available in a variety of lengths. The 0476 is also available in custom lengths if required.




Due to different manufacturing methods, the solid bronze and brass versions vary dimensionally as shown below.

	Plate Diameter (D)		Projection (P)		Height (H)	
A	60	51	64	64	44	52
B	64	51	75	76	40	52

▲ 3189



▲ 0476



	A	B	C	D	E	F	G
L (length)	—	76	102	152	203	254	305
Plate size	30 x 30			40 x 40			

other lengths available upon request

Fixings

3189 supplied with finish matched no.8 x 25mm wood screws for rail fixing and finish matched no.8 x 38mm wood screws for base fixing.

0474 all sizes and 0476 B & C supplied with finish matched no.6 x 19mm wood screws.

0476D supplied with finish matched no.6 x 32mm wood screws.

0476E, F & G supplied with finish matched no.8 x 25mm wood screws.


How to Order

- 1) select PRODUCT (e.g. **0476**)
- 2) add FINISH (e.g. **0476PB**)
- 3) add SIZE (e.g. **0476PB/E**).

Finishes - See our price list or website for finish availability.



▲ 0474



	A	B	C	D
L (length)	51	76	102	152
Plate size	32 x 22		36 x 25	